

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 217 | 726/3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:36 |
| L2 | 56 | 1 and (secure adj3 (tunnel\$4 or connec\$3 or communicat\$3 link\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:42 |
| L3 | 29 | 2 and (authenticat\$3 with (tunnel\$4 or connec\$3 or communicat\$3 link\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:42 |
| L4 | 0 | 3 and (denial near1 service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:00 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| L6 | 144535 | "726"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "709"/\$.ccls. "705"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:41 |
| L7 | 12399 | 6 and (secure adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:42 |
| L9 | 5466 | 7 and (authentikat\$3 with (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:43 |
| L10 | 516 | 9 and (denial near1 service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:44 |
| L11 | 132 | 10 and ((authentikat\$3 with (simultaneous\$3 parallel\$4 tim\$3 partial\$4 overlap\$3 combin\$3 combination\$2)) same (tunnel\$3 connect\$3 communicat\$4 link\$3 channel\$3 path passag\$3 ssl)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:46 |
| L12 | 55 | 11 and @ad<"20021118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:48 |
| L13 | 10 | 12 and (protocol near2 (device or equipment or mobile or cellular or wireless or machine or computer or workstation or unit)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:50 |
| L14 | 24 | 12 and (protocol near2 (client user device or equipment or mobile or cellular or wireless or machine or computer or workstation or unit)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 16:50 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L15 | 78330 | (secure adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3)) ssl | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:33 |
| L16 | 1266 | 15 and (denial near1 service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:07 |
| L17 | 728 | 16 and (authentikat\$3 near5 ((tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3) ssl)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:35 |
| L18 | 374 | 17 and @ad<"20021118" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:09 |
| L19 | 279 | 18 and (authentikat\$3 same (simultaneous\$3 parallel\$4 tim\$3 partial\$4 overlap\$3 combin\$3 combination\$2) same (tunnel\$3 connect\$3 communicat\$4 link\$3 channel\$3 path passag\$3 ssl)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:10 |
| L20 | 208 | 19 and (protocol near2 (client user device or equipment or mobile or cellular or wireless or machine or computer or workstation or unit)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:18 |
| L21 | 193 | 20 and (authentikat\$3 near3 (method type kind technique scheme mechanism)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:19 |
| L22 | 42 | 21 and (authentikat\$3 near2 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 ssl)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:32 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default-Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L24 | 30327 | (FORSBERG near1 DAN) NOKIA | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:33 |
| L25 | 631 | 24 and ((secure adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3)) ssl) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:34 |
| L26 | 195 | 25 and (authenticat\$3 near5 ((tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3) ssl)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:35 |
| L27 | 18 | 26 and (denial near1 service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/13 17:36 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------|------------------|---------|------------------|
| L28 | 18 | ((authenticat\$3 verify\$3 verification validat\$3 authoriz\$6) and secure and (tunnel\$4 connec\$4 communicat\$4 link\$3 path channel\$4 passag\$3 line ssl) and (denial DoS) and (client user device or equipment or mobile or cellular or wireless or machine or computer or workstation or unit system) and (simultaneous\$3 parallel\$4 tim\$3 partial\$4 overlap\$3 combin\$3 combination\$2 period during) and protocol and (method type kind technique scheme mechanism) and network\$3).CLM. | US-PGPUB | OR | ON | 2007/04/13 17:51 |